

TRIOCARE™

A TRIOSILO PRODUCT

PRODUCT DATA TRIOCARE 150 μ Black/Black				
Items	Dimensions [m x μ x m]	Reels/pallet [pce]	Core	Pallet dimension [mm x mm]
28601	6 x 150 x 50	23	Carton	1100 x 1700
28602	8 x 150 x 50	14	Carton	1200 x 1400
28603	10 x 150 x 50	14	Carton	1100 x 1500
28604	12 x 150 x 50	11	Carton	1100 x 1700
28605	14 x 150 x 50	11	Carton	1100 x 2000
28606	16 x 150 x 50	11	Carton	1100 x 2250
29044	18 x 150 x 50	8	Carton	950 x 2500
28595	6 x 150 x 348m ²	23	Carton	1100 x 1700
28596	8 x 150 x 348m ²	23	Carton	1200 x 1400
28597	10 x 150 x 348m ²	21	Carton	1100 x 1500
28598	12 x 150 x 348m ²	23	Carton	1100 x 1700
28599	14 x 150 x 348m ²	23	Carton	1100 x 1900
28600	16 x 150 x 400m ²	14	Carton	1100 x 2250
29064	6 x 150 x 300	1	PVC	800 x 1800
28388	8 x 150 x 300	1	PVC	800 x 1400
28389	10 x 150 x 300	1	PVC	800 x 1500
28390	12 x 150 x 300	1	PVC	800 x 1900
28391	14 x 150 x 300	1	PVC	800 x 2200
28392	16 x 150 x 300	1	PVC	800 x 2250
28393	18 x 150 x 300	1	PVC	800 x 2600

TECHNICAL DATA					
Dart Drop	Tensile Strength	Tear resistance	Elongation at Break	UV	OTR
>250 g	MD: 26 Mpa	MD: >7700 mN	MD: 600 %	18 months	<250 cm ³ /24h
	TD : 27 Mpa	TD : >25 000 mN	TD : 700 %		

ENVIRONMENTAL PERFROMANCE				
	Recycling material	PCR rate	recyclable	reduce CO ²
value	96%	91%	100%	-79%
Certification	EuCertPlast	Blue Angel & RecyClass		SimaPro

*LCA (Life Cycle Assessment): Comparison of the carbon footprint of 100% virgin film and TrioSILO film, made from recycled material. Standardised comparative method SimaPro.

Above data is only intended for information and could be changed without previous notice. Other sizes can be manufactured to order with minimum volume. Every endeavor has been made to ensure that the information given herein is true and reliable but is given only for guidance of our customers.

TRIOCARE™

A TRIOSILO PRODUCT

PRODUCT DATA TRIOCARE 150 μ Black/Green				
Items	Dimensions [m x μ x m]	Reels/pallet [pce]	Core	Pallet dimension [mm x mm]
28553	6 x 150 x 50	23	Carton	1100 x 1700
28555	8 x 150 x 50	14	Carton	1200 x 1400
28556	10 x 150 x 50	14	Carton	1100 x 1500
28557	12 x 150 x 50	11	Carton	1100 x 1700
28558	14 x 150 x 50	11	Carton	1100 x 2000
28559	16 x 150 x 50	11	Carton	1100 x 2250
29046	18 x 150 x 50	11	Carton	1100 x 2500
29062	6 x 150 x 300	1	PVC	800 x 1800
28408	8 x 150 x 300	1	PVC	800 x 1400
28409	10 x 150 x 300	1	PVC	800 x 1500
28410	12 x 150 x 300	1	PVC	800 x 1900
28411	14 x 150 x 300	1	PVC	800 x 2200
28412	16 x 150 x 300	1	PVC	800 x 2400
28413	18 x 150 x 300	1	PVC	800 x 2600

TECHNICAL DATA					
Dart Drop	Tensile Strength	Tear resistance	Elongation at Break	UV	OTR
>250 g	MD: 26 Mpa	MD: >7700 mN	MD: 600 %	18 months	<250 cm ³ /24h
	TD : 27 Mpa	TD : >25 000 mN	TD : 700 %		

ENVIRONMENTAL PERFORMANCE				
	Recycling material	PCR rate	recyclable	reduce CO ²
value	>92%	89%	100%	-79%
Certification	EuCertPlast	Blue Angel & RecyClass		SimaPro

*LCA (Life Cycle Assessment): Comparison of the carbon footprint of 100% virgin film and TrioSILO film, made from recycled material. Standardised comparative method SimaPro.

Above data is only intended for information and could be changed without previous notice. Other sizes can be manufactured to order with minimum volume. Every endeavor has been made to ensure that the information given herein is true and reliable but is given only for guidance of our customers.

TRIOCARE™

A TRIOSILO PRODUCT

PRODUCT DATA TRIOCARE 150 μ Black/White

Items	Dimensions [m x μ x m]	Reels/pallet [pce]	Core	Pallet dimension [mm x mm]
28883	4 x 150 x 25	33	Carton	1100 x 1500
28453	5 x 150 x 25	33	Carton	1100 x 1500
28525	6 x 150 x 25	33	Carton	1100 x 1700
28446	7 x 150 x 25	23	Carton	1100 x 1400
28471	8 x 150 x 25	23	Carton	1200 x 1400
28467	9 x 150 x 25	23	Carton	1100 x 1500
28528	10 x 150 x 25	23	Carton	1100 x 1500
28520	12 x 150 x 25	23	Carton	1100 x 1700
28531	14 x 150 x 25	23	Carton	1100 x 2000
28533	16 x 150 x 25	14	Carton	1100 x 2250
28535	18 x 150 x 25	14	Carton	1100 x 2500
28445	6 x 150 x 35	23	Carton	1100 x 1700
28447	7 x 150 x 35	23	Carton	1100 x 1400
28449	8 x 150 x 35	23	Carton	1200 x 1400
28450	9 x 150 x 35	23	Carton	1100 x 1500
28452	10 x 150 x 35	21	Carton	1100 x 1500
28521	12 x 150 x 35	11	Carton	1100 x 1700
28884	4 x 150 x 50	33	Carton	1100 x 1500
28454	5 x 150 x 50	23	Carton	1100 x 1500
28526	6 x 150 x 50	23	Carton	1100 x 1700
28448	7 x 150 x 50	18	Carton	1100 x 1400
28527	8 x 150 x 50	14	Carton	1200 x 1400
28451	9 x 150 x 50	14	Carton	1100 x 1500
28529	10 x 150 x 50	14	Carton	1100 x 1500
28522	12 x 150 x 50	11	Carton	1100 x 1700
28532	14 x 150 x 50	11	Carton	1100 x 2000
28534	16 x 150 x 50	11	Carton	1100 x 2250
29045	18 x 150 x 50	11	Carton	1100 x 2500

TRIOCARE™

A TRIOSILO PRODUCT

PRODUCT DATA TRIOCARE 150 μ Black/White

Items	Dimensions [m x μ x m]	Reels/pallet [pce]	Core	Pallet dimension [mm x mm]
29063	6 x 150 x 300	1	PVC	800 x 1800
28643	7 x 150 x 300	1	PVC	800 x 1300
28401	8 x 150 x 300	1	PVC	800 x 1300
28644	9 x 150 x 300	1	PVC	800 x 1500
28402	10 x 150 x 300	1	PVC	800 x 1500
28645	11 x 150 x 300	1	PVC	800 x 1800
28403	12 x 150 x 300	1	PVC	800 x 1900
28404	14 x 150 x 300	1	PVC	800 x 2100
28405	16 x 150 x 300	1	PVC	800 x 2250
28406	18 x 150 x 300	1	PVC	800 x 2600
28459	10 x 150 x 400	1	PVC	800 x 1500
28460	12 x 150 x 400	1	PVC	800 x 1900
28461	14 x 150 x 400	1	PVC	800 x 2100
28462	16 x 150 x 400	1	PVC	800 x 2250
28463	18 x 150 x 400	1	PVC	800 x 2600

TECHNICAL DATA

Dart Drop	Tensile Strength	Tear resistance	Elongation at Break	UV	OTR
>250 g	MD: 26 Mpa	MD: >7700 mN	MD: 600 %	18 months	<250 cm ³ /24h
	TD : 27 Mpa	TD : >25 000 mN	TD : 700 %		

ENVIRONMENTAL PERFORMANCE

	Recycling material	PCR rate	recyclable	reduce CO ²
value	>90%	89%	100%	-79%
Certification	EuCertPlast	Blue Angel & RecyClass		SimaPro

*LCA (Life Cycle Assessment): Comparison of the carbon footprint of 100% virgin film and TrioSILO film, made from recycled material. Standardised comparative method SimaPro.

Above data is only intended for information and could be changed without previous notice. Other sizes can be manufactured to order with minimum volume. Every endeavor has been made to ensure that the information given herein is true and reliable but is given only for guidance of our customers.

TRIOCARE™

A TRIOSILO PRODUCT

PRODUCT DATA TRIOCARE 150 μ White/White				
Items	Dimensions [m x μ x m]	Reels/pallet [pce]	Core	Pallet dimension [mm x mm]
28881	4 x 150 x 25	33	Carton	1500 x 1100
28805	5 x 150 x 25	33	Carton	1500 x 1100
28807	6 x 150 x 25	33	Carton	1700 x 1100
28809	7 x 150 x 25	23	Carton	1400 x 1100
28812	8 x 150 x 25	23	Carton	1400 x 1200
28814	9 x 150 x 25	23	Carton	1500 x 1100
28817	10 x 150 x 25	23	Carton	1500 x 1100
28819	12 x 150 x 25	23	Carton	1700 x 1100
28821	14 x 150 x 25	23	Carton	2000 x 1100
28822	16 x 150 x 25	14	Carton	2250 x 1100
28888	5 x 150 x 30	33	Carton	1500 x 1100
28889	6 x 150 x 30	33	Carton	1700 x 1100
28890	7 x 150 x 30	23	Carton	1400 x 1200
28891	8 x 150 x 30	23	Carton	1400 x 1200
28892	9 x 150 x 30	23	Carton	1500 x 1200
28893	10 x 150 x 30	23	Carton	1500 x 1200
28894	12 x 150 x 30	23	Carton	1700 x 1200
28895	5 x 150 x 35	33	Carton	1500 x 1100
28808	6 x 150 x 35	23	Carton	1700 x 1100
28810	7 x 150 x 35	23	Carton	1400 x 1100
28813	8 x 150 x 35	23	Carton	1400 x 1200
28815	9 x 150 x 35	23	Carton	1500 x 1100
28818	10 x 150 x 35	21	Carton	1500 x 1100
28820	12 x 150 x 35	11	Carton	1700 x 1100
28882	4 x 150 x 50	23	Carton	1500 x 1100
28806	5 x 150 x 50	23	Carton	1500 x 1100
28726	6 x 150 x 50	23	Carton	1700 x 1100
28811	7 x 150 x 50	18	Carton	1400 x 1100
28727	8 x 150 x 50	14	Carton	1400 x 1200
28816	9 x 150 x 50	14	Carton	1500 x 1100
28731	10 x 150 x 50	14	Carton	1500 x 1100
28796	12 x 150 x 50	11	Carton	1700 x 1100
28797	14 x 150 x 50	11	Carton	2000 x 1100
28823	16 x 150 x 50	11	Carton	2250 x 1100
29048	18 x 150 x 50	11	Carton	2500 x 950

TECHNICAL DATA					
Dart Drop	Tensile Strength	Tear resistance	Elongation at Break	UV	OTR
>250 g	MD: 26 Mpa	MD: >7700 mN	MD: 600 %	18 months	<250 cm ³ /24h
	TD : 27 Mpa	TD : >25 000 mN	TD : 700 %		

ENVIRONMENTAL PERFROMANCE				
	Recycling material	PCR rate	recyclable	reduce CO ²
value	>85%	90%	100%	-79%
Certification	EuCertPlast	Blue Angel & RecyClass		SimaPro
*LCA (Life Cycle Assessment): Comparison of the carbon footprint of 100% virgin film and TrioSILO film, made from recycled material. Standardised comparative method SimaPro.				

Above data is only intended for information and could be changed without previous notice. Other sizes can be manufactured to order with minimum volume. Every endeavor has been made to ensure that the information given herein is true and reliable but is given only for guidance of our customers.